

PROPERTY DISCLOSURE - RESIDENTIAL ONLY

New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

The following answers and explanations are true and complete to the best of SELLER'S knowledge. This statement has been prepared to assist prospective BUYERS in evaluating SELLER'S property. This disclosure is not a warranty of any kind by the SELLER, or any real estate FIRM representing the SELLER, and is not a substitute for any inspection by the BUYER. SELLERS authorize FIRM in this transaction to disclose the information in this statement to other real estate agents and to prospective buyers of this property.

NOTICE TO SELLER(S): COMPLETE ALL INFORMATION AND STATE NOT APPLICABLE OR UNKNOWN AS APPROPRIATE. IF ANY OF THE INFORMATION IN THIS PROPERTY DISCLOSURE FORM CHANGES FROM THE DATE OF COMPLETION, YOU ARE TO NOTIFY THE LISTING FIRM PROMPTLY IN WRITING.

1. **SELLER:** Deborah T Cort Trust

2. **PROPERTY LOCATION:** 12 Candlewood Dr, Amherst, NH 03031

3. **CONDOMINIUM, CO-OP, PUD DISCLOSURE RIDER OR MULTIFAMILY DISCLOSURE RIDER ATTACHED?** Yes No

4. **SELLER:** has has not occupied the property for 29 years.

5. WATER SUPPLY

Please answer all questions regardless of type of water supply.

a. TYPE OF SYSTEM: Public Private Seasonal Unknown
 Drilled Dug Other _____

b. INSTALLATION: Location: front yard
Installed By: original owner Date of Installation: n/a
What is the source of your information? _____

c. USE: Number of persons currently using the system: two
Does system supply water for more than one household? Yes No

d. MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water systems?
Pump: Yes No N/A Quantity: Yes No
Quality: Yes No Unknown
If YES to any question, please explain in Comments below or with attachment.

e. WATER TEST: Have you had the water tested? Yes No Date of most recent test See Comments Section
If YES to any question, please explain in Comments below or with attachment.
Are you aware of any test results reported as unsatisfactory or satisfactory with notations? Yes No
If YES, are test results available? Yes No
What steps were taken to remedy the problem? _____

COMMENTS:

See Comment Section

6. SEWAGE DISPOSAL SYSTEM

a. TYPE OF SYSTEM: Public: Yes No Community/Shared: Yes No
Private: Yes No Unknown
Septic Design Available: Yes No

b. IF PUBLIC OR COMMUNITY/SHARED
Have you experienced any problems such as line or other malfunctions? Yes No
What steps were taken to remedy the problem? _____

c. IF PRIVATE:
TANK: Septic Tank Holding Tank Cesspool Unknown Other _____
Tank Size 2000 Gal. Unknown Other _____
Tank Type Concrete Metal Unknown Other _____
Location: backyard Location Unknown. Date of Installation: _____
Date of Last Servicing: 7/21/2025 Name of Company Servicing Tank: Souhegan Septic Tank Service
Have you experienced any malfunctions? Yes No
COMMENTS: _____

SELLER(S) INITIALS

DT / _____

BUYER(S) INITIALS

_____/_____

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 12 Candlewood Dr, Amherst, NH 03031

d. LEACH FIELD: Yes No Other _____
IF YES, Location: backyard Size: approx 8'x12' Unknown
Date of installation of leach field: 4/2021 Installed By: James L. Sickler
Have you experienced any malfunctions? Yes No
Comments: _____

e. IS SYSTEM LOCATED ON "DEVELOPED WATERFRONT" as described in RSA 485-A? Yes No Unknown
IF YES, has a septic system evaluation been done within 180 days? Yes No Unknown
Date of Evaluation: _____
Comments: _____

FOR ADDITIONAL INFORMATION THE BUYER IS ENCOURAGED TO CONTACT THE NH DEPARTMENT OF ENVIRONMENTAL SERVICES SUBSURFACE SYSTEMS BUREAU, 603-271-3501



7. INSULATION	LOCATION	Yes	No	Unknown	If YES, Type	Amount	Unknown
	Attic or Cap	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	vermicular & fibe	15"	<input type="checkbox"/>
	Crawl Space	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>
	Exterior Walls	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	fiberlgass	3.5"	<input type="checkbox"/>
	Floors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>



8. HAZARDOUS MATERIAL

a. UNDERGROUND STORAGE TANKS - Current or previously existing:
Are you aware of any past or present underground storage tanks on your property? Yes No Unknown
IF YES: Are tanks currently in use? Yes No
IF NO: How long have tank(s) been out of service? _____
What materials are, or were, stored in the tank(s)? _____
Age of tank(s): _____ Size of tank(s): _____
Location: _____
Are you aware of any past or present problems such as leakage, etc? Yes No
Comments: _____
If tanks are no longer in use, have the tanks been removed? Yes No Unknown
Comments: _____

b. ASBESTOS - Current or previously existing:
As insulation on the heating system pipes or ducts? Yes No Unknown
In the siding? Yes No Unknown In the roofing shingles? Yes No Unknown
In flooring tiles? Yes No Unknown Other _____ Yes No Unknown
If YES, Source of information: _____
Comments: _____

c. RADON/AIR - Current or previously existing:
Has the property been tested? Yes No Unknown
If YES: Date: 4/28/2024 By: Alpha Energy Labs
Results: 4.4 pCi/L +/- pCi/L If applicable, what remedial steps were taken? remediated 3/5/2026
Has the property been tested since remedial steps? Yes No
Are test results available? Yes No
Comments: _____

SELLER(S) INITIALS  / 

BUYER(S) INITIALS  / 

PROPERTY DISCLOSURE - RESIDENTIAL ONLY

New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 12 Candlewood Dr, Amherst, NH 03031

d. RADON/WATER - Current or previously existing:
Has the property been tested? Yes No Unknown
If YES: Date: 10/20/2022 By: NH DES
Results: none found If applicable, what remedial steps were taken? _____
Has the property been tested since remedial steps? Yes No
Are test results available? Yes No Comments: _____

e. LEAD-BASED PAINT - Current or previously existing:
Are you aware of lead-based paint on this property? Yes No
If YES: Source of information: _____
Are you aware of any cracking, peeling, or flaking lead-based paint? Yes No
Comments: _____

f. Are you aware of any other hazardous materials? Yes No
If YES: Source of information: _____
Comments: _____

9. GENERAL INFORMATION

a. Is this property subject to liens, encroachments, easements, rights-of-way, leases, restrictive covenants, attachments, life estates, or right of first refusal?
 Yes No Unknown If YES, Explain: _____
What is your source of information? _____

b. Is this property subject to special assessments, betterment fees, association fees, or any other transferable fees?
 Yes No Unknown If YES, Explain: _____
What is your source of information? _____

c. Are you aware of any onsite landfills or any other factors, such as soil, flooding, drainage, etc?
 Yes No If YES, Explain: _____

d. Are you aware of any problems with other buildings on the property?
 Yes No If YES, Explain: _____

e. Are you receiving a tax exemption or reduction for this property for any reason including but not limited to current use, land conservation, etc.?
 Yes No Unknown If YES, Explain: _____

f. Is this property located in a Federally Designated Flood Hazard Zone?
 Yes No Unknown Comments: _____


g. Has the property been surveyed?
 Yes No Unknown If YES, By: Duval Survey
If YES, is survey available? Yes No Unknown

h. How is the property zoned? Residential

i. Heating System Age: two year Type: Hybrid Heat Pump Fuel: electric Tank Location: _____
Owner of Tank: _____
Annual Fuel Consumption: _____ Price: _____ Gallons: _____
Date system was last serviced and by whom? 7/25/2024 Weatherbee Plumbing and Heating
Secondary Heat Systems: oil fired
Comments: _____

j. Roof Age: 21 years Type of Roof Covering: GAF Timberline Select 40 Shingles
Moisture or leakage: none
Comments: _____

SELLER(S) INITIALS  / 

BUYER(S) INITIALS  / 

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 12 Candlewood Dr, Amherst, NH 03031

k. Foundation/Basement Full Partial Other: _____ Type: concrete

Moisture or leakage: _____
Comments: _____

l. Chimney(s) How Many? one Lined? yes Last Cleaned: 7/29/2022 Problems? no

Comments: _____

m. Plumbing Type: copper Age: n/a

Comments: _____

n. Domestic Hot Water Age: 2 years Type: heat pump Gallons: 50

o. Electrical System # of Amps 200 Circuit Breakers Fuses

Comments: _____
Solar Panels: Leased Owned If leased, explain terms of agreement: _____
Comments: _____

p. Modifications: Are you aware of any modifications or repairs made without the necessary permits? Yes No
If Yes, please explain: _____

q. Pest Infestation: Are you aware of any past or present pest infestations? Yes No Type: _____

Comments: _____

r. Methamphetamine Production Do you have knowledge of methamphetamine production ever occurring on the property?
(Per RSA 477:4-g) Yes No If YES, please explain: _____

s. Air Conditioning Type: Hybrid Heat Pum Age: 2 years Date Last Serviced and by whom: 7/25/2024 Wetherbee

Comments: _____

t. Pool Age: _____ Heated: Yes No Type: _____ Last Date of Service: _____

By Whom: _____

u. Generator Portable: Yes No Whole House: Yes No Kw/Size: _____ Last Date of Service: 10/2025

If Portable: Included Negotiable
Comments: _____

v. Internet Type Currently Used at Property: Xfinity

w. Other (e.g. Alarm System, Irrigation System, etc.) _____

Comments: _____

NOTICE TO PURCHASER(S): PRIOR TO SETTLEMENT YOU SHOULD EXERCISE WHATEVER DUE DILIGENCE YOU DEEM NECESSARY WITH RESPECT TO ADJACENT PARCELS IN ACCORDANCE WITH THE TERMS AND CONDITIONS AS MAY BE CONTAINED IN PURCHASE AND SALES AGREEMENT AND DEPOSIT RECEIPT. YOU SHOULD EXERCISE WHATEVER DUE DILIGENCE YOU DEEM NECESSARY WITH RESPECT TO INFORMATION ON ANY SEXUAL OFFENDERS REGISTERED UNDER NH RSA CHAPTER 651-B. SUCH INFORMATION MAY BE OBTAINED BY CONTACTING THE LOCAL POLICE DEPARTMENT.

SELLER(S) INITIALS

DTC /
03/25/26
948 AM EDT
dotloop verified

BUYER(S) INITIALS

 /

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 12 Candlewood Dr, Amherst, NH 03031

10. ADDITIONAL INFORMATION

a. ATTACHMENT EXPLAINING CURRENT PROBLEMS, PAST REPAIRS, OR ADDITIONAL INFORMATION?
 Yes No

b. ADDITIONAL COMMENTS:

5d) New submersible pump installed 10/10/2007, old pump failed
5e) Comprehensive water test by NH DES 10/20/2022; basic water test by NH Watercare Corp 5/5/2025; water softener and conditioners installed 3/21/2019
9j) 40 year, transferable warranty
SEE ATTACHED for a list of additional home improvements made to the house.

ACKNOWLEDGEMENTS:

SELLER ACKNOWLEDGES THAT HE/SHE HAS PROVIDED THE ABOVE INFORMATION AND THAT SUCH INFORMATION IS ACCURATE, TRUE AND COMPLETE TO THE BEST OF HIS/HER KNOWLEDGE. SELLER AUTHORIZES THE LISTING BROKER TO DISCLOSE THE INFORMATION CONTAINED HEREIN TO OTHER BROKERS AND PROSPECTIVE PURCHASERS.

SELLER(S) MAY BE RESPONSIBLE AND LIABLE FOR ANY FAILURE TO PROVIDE KNOWN INFORMATION TO BUYER(S).

Deborah T Cort, Trustee
dotloop verified
03/25/26 9:48 AM EDT
KUVH-VBXD-KJE1-7HUG
SELLER DATE

SELLER DATE

BUYER ACKNOWLEDGES RECEIPT OF THIS PROPERTY DISCLOSURE RIDER AND HEREBY UNDERSTANDS THE PRECEDING INFORMATION WAS PROVIDED BY SELLER AND IS NOT GUARANTEED BY BROKER/AGENT. THIS DISCLOSURE STATEMENT IS NOT A REPRESENTATION, WARRANTY OR GUARANTY AS TO THE CONDITION OF THE PROPERTY BY EITHER SELLER OR BROKER. BUYER IS ENCOURAGED TO UNDERTAKE HIS/HER OWN INSPECTIONS AND INVESTIGATIONS VIA LEGAL COUNSEL, HOME, STRUCTURAL OR OTHER PROFESSIONAL AND QUALIFIED ADVISORS AND TO INDEPENDENTLY VERIFY INFORMATION DIRECTLY WITH THE TOWN OR MUNICIPALITY.

BUYER DATE

BUYER DATE

SELLER(S) INITIALS

DC /

BUYER(S) INITIALS

/