

PROPERTY DISCLOSURE - RESIDENTIAL ONLY

New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

The following answers and explanations are true and complete to the best of SELLER'S knowledge. This statement has been prepared to assist prospective BUYERS in evaluating SELLER'S property. This disclosure is not a warranty of any kind by the SELLER, or any real estate FIRM representing the SELLER, and is not a substitute for any inspection by the BUYER. SELLERS authorize FIRM in this transaction to disclose the information in this statement to other real estate agents and to prospective buyers of this property.

NOTICE TO SELLER(S): COMPLETE ALL INFORMATION AND STATE NOT APPLICABLE OR UNKNOWN AS APPROPRIATE. IF ANY OF THE INFORMATION IN THIS PROPERTY DISCLOSURE FORM CHANGES FROM THE DATE OF COMPLETION, YOU ARE TO NOTIFY THE LISTING FIRM PROMPTLY IN WRITING.

1. **SELLER:** Johnny W Hurdle III and Travis Evans

2. **PROPERTY LOCATION:** 6 Millstream Drive, Exeter, NH 03833

3. **CONDOMINIUM, CO-OP, PUD DISCLOSURE RIDER OR MULTIFAMILY DISCLOSURE RIDER ATTACHED?** ☐ Yes ☐ No

4. **SELLER:** ☒ has ☐ has not occupied the property for 4.5 years.

5. WATER SUPPLY

Please answer all questions regardless of type of water supply.

a. TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Seasonal ☐ Unknown
☒ Drilled ☐ Dug ☐ Other _____

b. INSTALLATION: Location: Artesian well behind house

Installed By: builder Date of Installation: 1975

What is the source of your information? prior property disclosures

c. USE: Number of persons currently using the system: 4

Does system supply water for more than one household? ☐ Yes ☒ No

d. MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water systems?

Pump: ☐ Yes ☒ No ☐ N/A Quantity: ☐ Yes ☐ No
 Quality: ☐ Yes ☒ No ☐ Unknown

If YES to any question, please explain in Comments below or with attachment.

e. WATER TEST: Have you had the water tested? ☒ Yes ☐ No Date of most recent test January 30, 2023

If YES to any question, please explain in Comments below or with attachment.

Are you aware of any test results reported as unsatisfactory or satisfactory with notations? ☒ Yes ☐ No

If YES, are test results available? ☒ Yes ☐ No

What steps were taken to remedy the problem? Tankless reverse osmosis filtration system installed under sink in kitchen.

COMMENTS:

6. SEWAGE DISPOSAL SYSTEM

a. TYPE OF SYSTEM: Public: ☐ Yes ☒ No Community/Shared: ☐ Yes ☒ No
 Private: ☒ Yes ☐ No ☐ Unknown
 Septic Design Available: ☐ Yes ☒ No

b. IF PUBLIC OR COMMUNITY/SHARED

Have you experienced any problems such as line or other malfunctions? ☐ Yes ☒ No

What steps were taken to remedy the problem? _____

c. IF PRIVATE:

TANK: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Unknown ☐ Other _____
 Tank Size 1000 Gal. ☐ Unknown ☐ Other _____
 Tank Type ☐ Concrete ☐ Metal ☒ Unknown ☐ Other _____
 Location: Front Yard ☐ Location Unknown. Date of Installation: 1975

Date of Last Servicing: 11/2019 Name of Company Servicing Tank: Exeter Septic Tank Service1

Have you experienced any malfunctions? ☐ Yes ☒ No

COMMENTS: Inspected 5/25/2021 by Kent Clean Septic Service

SELLER(S) INITIALS

JH / TE

BUYER(S) INITIALS

____ / ____

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 6 Millstream Drive, Exeter, NH 03833

d. LEACH FIELD: ☒ Yes ☐ No ☐ Other _____
 IF YES, Location: front of house Size: _____ ☒ Unknown
 Date of installation of leach field: 25-30 years ago Installed By: unknown
 Have you experienced any malfunctions? ☐ Yes ☒ No
 Comments: _____

e. IS SYSTEM LOCATED ON "DEVELOPED WATERFRONT" as described in RSA 485-A? ☐ Yes ☒ No ☐ Unknown
 IF YES, has a septic system evaluation been done within 180 days? ☐ Yes ☐ No ☐ Unknown
 Date of Evaluation: _____
 Comments: _____

FOR ADDITIONAL INFORMATION THE BUYER IS ENCOURAGED TO CONTACT THE NH DEPARTMENT OF ENVIRONMENTAL SERVICES SUBSURFACE SYSTEMS BUREAU, 603-271-3501

7. INSULATION	LOCATION	Yes	No	Unknown	If YES, Type	Amount	Unknown
	Attic or Cap	☒	☐	☐	blown	_____	☒
	Crawl Space	☐	☐	☐		_____	☐
	Exterior Walls	☐	☐	☒	fiberglass	_____	☒
	Floors	☒	☐	☐	fiberglass	_____	☒

8. HAZARDOUS MATERIAL

a. UNDERGROUND STORAGE TANKS - Current or previously existing:
 Are you aware of any past or present underground storage tanks on your property? ☐ Yes ☒ No ☐ Unknown
 IF YES: Are tanks currently in use? ☐ Yes ☐ No
 IF NO: How long have tank(s) been out of service? _____
 What materials are, or were, stored in the tank(s)? _____
 Age of tank(s): _____ Size of tank(s): _____
 Location: _____
 Are you aware of any past or present problems such as leakage, etc? ☐ Yes ☐ No
 Comments: _____
 If tanks are no longer in use, have the tanks been removed? ☐ Yes ☐ No ☐ Unknown
 Comments: _____

b. ASBESTOS - Current or previously existing:
 As insulation on the heating system pipes or ducts? ☐ Yes ☒ No ☐ Unknown
 In the siding? ☐ Yes ☒ No ☐ Unknown In the roofing shingles? ☐ Yes ☐ No ☐ Unknown
 In flooring tiles? ☐ Yes ☒ No ☐ Unknown Other _____ ☐ Yes ☐ No ☐ Unknown
 If YES, Source of information: _____
 Comments: _____

c. RADON/AIR - Current or previously existing:
 Has the property been tested? ☒ Yes ☐ No ☐ Unknown
 If YES: Date: January 2026 By: Radon Clear LLC
 Results: 2.6 If applicable, what remedial steps were taken? _____
 Has the property been tested since remedial steps? ☒ Yes ☐ No
 Are test results available? ☒ Yes ☐ No
 Comments: Installed radon mitigation system by Radon Clear LLC and subsequent Radon test from First Alert

SELLER(S) INITIALS JH / TE
07/15/26 8:21 AM EDT 07/15/26 6:10 AM EDT

BUYER(S) INITIALS _____ / _____

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 6 Millstream Drive, Exeter, NH 03833

d. RADON/WATER - Current or previously existing:

Has the property been tested? ☒ Yes ☐ No ☐ Unknown

If YES: Date: January 30, 2023

By: NH Division of Public Health Services

Results: Full report attached- 3560 pCi/L

If applicable, what remedial steps were taken? N/A

Has the property been tested since remedial steps? ☒ Yes ☐ No

Are test results available? ☒ Yes ☐ No Comments: _____

e. LEAD-BASED PAINT - Current or previously existing:

Are you aware of lead-based paint on this property? ☐ Yes ☒ No

If YES: Source of information: Seller

Are you aware of any cracking, peeling, or flaking lead-based paint? ☐ Yes ☒ No

Comments: _____

f. Are you aware of any other hazardous materials? ☐ Yes ☒ No

If YES: Source of information: Seller

Comments: _____

9. GENERAL INFORMATION

a. Is this property subject to liens, encroachments, easements, rights-of-way, leases, restrictive covenants, attachments, life estates, or right of first refusal?

☐ Yes ☒ No ☐ Unknown If YES, Explain: _____

What is your source of information? _____

b. Is this property subject to special assessments, betterment fees, association fees, or any other transferable fees?

☐ Yes ☒ No ☐ Unknown If YES, Explain: _____

What is your source of information? _____

c. Are you aware of any onsite landfills or any other factors, such as soil, flooding, drainage, etc?

☐ Yes ☒ No If YES, Explain: _____

d. Are you aware of any problems with other buildings on the property?

☐ Yes ☒ No If YES, Explain: _____

e. Are you receiving a tax exemption or reduction for this property for any reason including but not limited to current use, land conservation, etc.?

☐ Yes ☒ No ☐ Unknown If YES, Explain: _____

f. Is this property located in a Federally Designated Flood Hazard Zone?

☐ Yes ☒ No ☐ Unknown Comments: _____

g. Has the property been surveyed?

☐ Yes ☐ No ☒ Unknown If YES, By: _____

If YES, is survey available? ☐ Yes ☐ No ☐ Unknown

h. How is the property zoned? residential

i. Heating System Age: 8 Type: forced air Fuel: LP gas Tank Location: side detached garage

Owner of Tank: Haffner's

Annual Fuel Consumption: 6/2026-7/2026 Price: \$2,471.10 Gallons: 747.30

Date system was last serviced and by whom? March 2026 -Key Heating

Secondary Heat Systems: Primary heat is FHA/Propane, on main level & family room. Lower level, electric baseboard.

Comments: There is backup electric baseboard heat on main level.

j. Roof Age: various Type of Roof Covering: asphalt shingles

Moisture or leakage: 2022: Roof leak around the flashing of a small decorative roof dormer on the rear of the house.

Comments: The dormer was removed, a rafter was replaced, and the rear roof was reshingled, excluding over family room.

SELLER(S) INITIALS

JH / TE
07/15/26 07/15/26

BUYER(S) INITIALS

 /

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 6 Millstream Drive, Exeter, NH 03833

- k. Foundation/Basement** ☒ Full ☐ Partial ☐ Other: _____ ☒ Type: Concrete
 Moisture or leakage: None
 Comments: N/A
- l. Chimney(s)** How Many? 2 Lined? yes Last Cleaned: 5/14/2026 Problems? see attachment
 Comments: see additional comments attachment
- m. Plumbing** Type: PVC copper Age: various
 Comments: plumbing in kitchen and upstairs bathrooms replaced during renovations in 2023 and 2024.
- n. Domestic Hot Water** Age: 20 Type: continuous Gallons: tankless water heater
- o. Electrical System** # of Amps 200 ☒ Circuit Breakers ☐ Fuses
 Comments: _____
 Solar Panels: ☐ Leased ☐ Owned If leased, explain terms of agreement: _____
 Comments: _____
- p. Modifications:** Are you aware of any modifications or repairs made without the necessary permits? ☐ Yes ☒ No
 If Yes, please explain: _____
- q. Pest Infestation:** Are you aware of any past or present pest infestations? ☐ Yes ☒ No Type: _____
 Comments: Regular preventative pest treatment, done quarterly by Cornerstone Pest Control, LLC.
- r. Methamphetamine Production** Do you have knowledge of methamphetamine production ever occurring on the property?
 (Per RSA 477:4-g) ☐ Yes ☒ No If YES, please explain: _____
- s. Air Conditioning** Type: forced air Age: 8 Date Last Serviced and by whom: 3/26 Key Heating & Cooling
 Comments: New dampers, zone board, condensate pump, and blower installed in 2026
- t. Pool** Age: _____ Heated: ☐ Yes ☒ No Type: _____ Last Date of Service: _____
 By Whom: _____
- u. Generator** Portable: ☐ Yes ☒ No Whole House: ☐ Yes ☐ No Kw/Size: _____ Last Date of Service: _____
 If Portable: ☐ Included ☐ Negotiable
 Comments: _____
- v. Internet** Type Currently Used at Property: xfinity
- w. Other** (e.g. Alarm System, Irrigation System, etc.) alarm system installed by previous owner but never used by sellers
 Comments: _____

NOTICE TO PURCHASER(S): PRIOR TO SETTLEMENT YOU SHOULD EXERCISE WHATEVER DUE DILIGENCE YOU DEEM NECESSARY WITH RESPECT TO ADJACENT PARCELS IN ACCORDANCE WITH THE TERMS AND CONDITIONS AS MAY BE CONTAINED IN PURCHASE AND SALES AGREEMENT AND DEPOSIT RECEIPT. YOU SHOULD EXERCISE WHATEVER DUE DILIGENCE YOU DEEM NECESSARY WITH RESPECT TO INFORMATION ON ANY SEXUAL OFFENDERS REGISTERED UNDER NH RSA CHAPTER 651-B. SUCH INFORMATION MAY BE OBTAINED BY CONTACTING THE LOCAL POLICE DEPARTMENT.

SELLER(S) INITIALS

JH / TE
 07/15/26 07/15/26
 8:03 AM 2:44 PM
 dotloop verified dotloop verified

BUYER(S) INITIALS

____ / ____

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 6 Millstream Drive, Exeter, NH 03833

10. ADDITIONAL INFORMATION

a. ATTACHMENT EXPLAINING CURRENT PROBLEMS, PAST REPAIRS, OR ADDITIONAL INFORMATION?

☒ Yes ☐ No

b. ADDITIONAL COMMENTS:

-See Attached Improvements List

- 1.) Kitchen skylights ? Broken thermo-seal in kitchen skylight
- 2.) Basement Sump pump/Ejector pump in basement ? replaced in 2022. Added summer drain to divert water softener system backwash from sump pump.
- 3.) Siding/Shingles - Some exterior siding/shingle deterioration

ACKNOWLEDGEMENTS:

SELLER ACKNOWLEDGES THAT HE/SHE HAS PROVIDED THE ABOVE INFORMATION AND THAT SUCH INFORMATION IS ACCURATE, TRUE AND COMPLETE TO THE BEST OF HIS/HER KNOWLEDGE. SELLER AUTHORIZES THE LISTING BROKER TO DISCLOSE THE INFORMATION CONTAINED HEREIN TO OTHER BROKERS AND PROSPECTIVE PURCHASERS.

SELLER(S) MAY BE RESPONSIBLE AND LIABLE FOR ANY FAILURE TO PROVIDE KNOWN INFORMATION TO BUYER(S).

Johnny Hurdle
dotloop verified
07/15/26 8:21 AM EDT
SJCN-SKNI-RHEA-2EHS
SELLER DATE

Travis Evans
dotloop verified
07/15/26 6:10 AM EDT
NBGD-EXSY-HRFQ-8JL9
SELLER DATE

BUYER ACKNOWLEDGES RECEIPT OF THIS PROPERTY DISCLOSURE RIDER AND HEREBY UNDERSTANDS THE PRECEDING INFORMATION WAS PROVIDED BY SELLER AND IS NOT GUARANTEED BY BROKER/AGENT. THIS DISCLOSURE STATEMENT IS NOT A REPRESENTATION, WARRANTY OR GUARANTY AS TO THE CONDITION OF THE PROPERTY BY EITHER SELLER OR BROKER. BUYER IS ENCOURAGED TO UNDERTAKE HIS/HER OWN INSPECTIONS AND INVESTIGATIONS VIA LEGAL COUNSEL, HOME, STRUCTURAL OR OTHER PROFESSIONAL AND QUALIFIED ADVISORS AND TO INDEPENDENTLY VERIFY INFORMATION DIRECTLY WITH THE TOWN OR MUNICIPALITY.

BUYER DATE

BUYER DATE

SELLER(S) INITIALS

JH *TE*
07/15/26 8:21 AM EDT
07/15/26 6:10 AM EDT
dotloop verified dotloop verified

BUYER(S) INITIALS